

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	(usb and ("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L6	3	(usb and ("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L7	15	((("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L8	1	((("mass storage" with driver) and ((data adj (sync\$1 synchroniz\$5)) with driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L9	462	(710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L10	4	(usb same "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L11	70	(usb same "mass storage" with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L12	226	((usb "universal serial bus") same (switch\$3 chang\$3) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L13	101	((usb "universal serial bus") and (switch\$3 chang \$3) adj driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L14	9	(usb and "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L15	4	(usb same "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L16	5	L14 not L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L17	2	"6128688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L18	63	(usb and ("mass storage" and ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L19	6	(usb and (driver with ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L20	287	((driver with ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L21	15	((driver near2 ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L22	1	(usb same (driver near2 (((sync\$1 synchroniz \$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L23	610	((pda palm "personal digital assistant") same "mass storage") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L24	1	((pda palm "personal digital assistant") same "mass storage" same (data adj (sync\$1 synchroniz\$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L25	217	((pda palm "personal digital assistant") with "mass storage") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L26	4	((pda palm "personal digital assistant") same "mass storage" same ((sync\$1 synchroniz\$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L27	375	((pda palm "personal digital assistant") same ((switch\$3 change\$3) near2 (mode endpoint))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L28	20	((pda palm "personal digital assistant") same ((switch\$3 change\$3) near2 (endpoint))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L29	116	((pda palm "personal digital assistant") and "mass storage" and (data adj (sync\$1 synchroniz\$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L30	201	((pda palm "personal digital assistant") same (portable with hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L31	22	((pda palm "personal digital assistant") same (portable adj2 hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L32	3349	((pda palm "personal digital assistant") same (hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L33	732	((pda palm "personal digital assistant") with (hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L34	43	((pda palm "personal digital assistant") same (portable with "mass storage")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L35	0	((pda palm "personal digital assistant") same ("mass storage") same "hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L36	0	((("mass storage") same "hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L37	145	("hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L38	9	("hot sync" with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L39	36	(activesync) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L40	217	("mass storage" with (pda palm "personal digital assistant")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L41	1	("mass storage" with (pda palm "personal digital assistant") with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L42	12	("mass storage" with driver same (pda palm "personal digital assistant")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L43	1440	(710/8.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L44	829	(710/10.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L45	362	(710/11.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L46	462	(710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L47	956	(710/104.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L48	686	(710/105.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L49	279	(710/106.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L50	657	(719/321.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L51	206	(719/327.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L52	10	(710/14.ccls. and storage same (sync synch synchroniz\$5)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L53	887	(storage same (sync synch synchroniz\$5) same driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L54	193	(storage with driver same (sync synch synchroniz\$5) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L55	0	(710/14.ccls. and (USB "universal serial bus") same (remote with driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L56	22	(710/14.ccls. and (USB "universal serial bus") same (driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L57	0	((USB "universal serial bus") same ("local driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L58	0	((USB "universal serial bus") same ("remotel driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L59	0	((USB "universal serial bus") same ("remote driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L60	2	"7082598".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L61	2	"6256008".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L62	2	"5937185".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L63	2	"5832299".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L64	4	"5000000".pn. "6000000".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L65	2	"20020152348".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L66	2	"6857034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L67	4	L65 L66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L68	40	(remote near2 driver with storage) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L69	1715	(data with (sync\$1 synchronization) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L70	8	(data with (sync\$1 synchronization) with driver with phone) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33

L71	6	(data with (sync\$1 synchronization) with driver with portable) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L72	172	(data adj (sync\$1 synchronization) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L73	7	(data adj (sync\$1 synchronization) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L74	7	((data adj (sync\$1 synchronization)) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L75	2	((((sync\$1 synchronization) near2 driver) with (pda phone telephone)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L76	7	((hot adj (sync\$1 synchronization)) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L77	6	((((sync\$1 synchronization) near2 driver) same (pda phone telephone)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
L78	47	((button key) with (switch \$3 near2 window) same computer) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 14:33
S1	0	(usb and ("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:34
S2	2	(usb and ("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:16

S3	13	((("mass storage" same ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:32
S4	1	((("mass storage" with driver) and ((data adj (sync\$1 synchroniz\$5)) with driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 10:24
S5	431	(710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:34
S6	4	(usb same "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:22
S7	60	(usb same "mass storage" with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:35
S8	197	((usb "universal serial bus") same (switch\$3 chang\$3) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:15
S9	89	((usb "universal serial bus") and (switch\$3 chang\$3) adj driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:15
S10	9	(usb and "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:22
S11	4	(usb same "mass storage" and 710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:22
S12	5	S10 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24

S13	2	"6128688".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:24
S14	50	(usb and ("mass storage" and ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:38
S15	5	(usb and (driver with ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:41
S16	261	((driver with ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:42
S17	14	((driver near2 ((data adj (sync\$1 synchroniz\$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 13:44
S18	1	(usb same (driver near2 (((sync\$1 synchroniz \$5)))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:31
S19	541	((pda palm "personal digital assistant") same "mass storage") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:32
S20	1	((pda palm "personal digital assistant") same "mass storage" same (data adj (sync\$1 synchroniz\$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:38
S21	199	((pda palm "personal digital assistant") with "mass storage") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:33
S22	4	((pda palm "personal digital assistant") same "mass storage" same ((sync\$1 synchroniz\$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:35

S23	348	((pda palm "personal digital assistant") same ((switch\$3 change\$3) near2 (mode endpoint))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:36
S24	16	((pda palm "personal digital assistant") same ((switch\$3 change\$3) near2 (endpoint))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 14:36
S25	98	((pda palm "personal digital assistant") and "mass storage" and (data adj (sync\$1 synchroniz \$5))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:24
S26	196	((pda palm "personal digital assistant") same (portable with hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/27 15:25
S27	20	((pda palm "personal digital assistant") same (portable adj2 hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 06:58
S28	3025	((pda palm "personal digital assistant") same (hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:28
S29	682	((pda palm "personal digital assistant") with (hard adj (disc disk drive))) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:30
S30	37	((pda palm "personal digital assistant") same (portable with "mass storage")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:51
S31	0	((pda palm "personal digital assistant") same ("mass storage") same "hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:52
S32	0	(("mass storage") same "hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:52

S33	138	("hot sync") and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 07:52
S34	8	("hot sync" with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:30
S35	27	(activesync) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 09:30
S36	199	("mass storage" with (pda palm "personal digital assistant")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:55
S37	1	("mass storage" with (pda palm "personal digital assistant") with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 12:56
S38	12	("mass storage" with driver same (pda palm "personal digital assistant")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:16
S39	1315	(710/8.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:16
S40	765	(710/10.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:16
S41	337	(710/11.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:16
S42	433	(710/14.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 08:49

S43	893	(710/104.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:17
S44	649	(710/105.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:17
S45	257	(710/106.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:17
S46	590	(719/321.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:18
S47	178	(719/327.ccls.) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:18
S48	10	(710/14.ccls. and storage same (sync synch synchroniz\$5)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 08:55
S49	873	(storage same (sync synch synchroniz\$5) same driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 08:52
S50	191	(storage with driver same (sync synch synchroniz\$5) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 08:52
S51	0	(710/14.ccls. and (USB "universal serial bus") same (remote with driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 08:55
S52	21	(710/14.ccls. and (USB "universal serial bus") same (driver)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 09:04

S53	0	((USB "universal serial bus") same ("local driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 09:04
S54	0	((USB "universal serial bus") same ("remote driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 09:04
S55	0	((USB "universal serial bus") same ("remote driver")) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/15 09:04
S56	2	"7082598".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S57	2	"6256008".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 10:41
S58	2	"5937185".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:17
S59	2	"5832299".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/07 17:19
S60	4	"5000000".pn. "6000000".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 13:55
S61	2	"20020152348".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 13:59

S62	2	"6857034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 13:59
S63	4	S61 S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:00
S64	39	(remote near2 driver with storage) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:14
S65	1687	(data with (sync\$1 synchronization) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:24
S66	8	(data with (sync\$1 synchronization) with driver with phone) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:25
S67	6	(data with (sync\$1 synchronization) with driver with portable) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:27
S68	171	(data adj (sync\$1 synchronization) with driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:28
S69	7	(data adj (sync\$1 synchronization) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:30
S70	7	((data adj (sync\$1 synchronization)) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:30

S71	2	((sync\$1 synchronization) near2 driver) with (pda phone telephone)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:35
S72	7	((hot adj (sync\$1 synchronization)) near2 driver) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:37
S73	6	((sync\$1 synchronization) near2 driver) same (pda phone telephone)) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 14:42
S74	46	((button key) with (switch \$3 near2 window) same computer) and @ad<"20031022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/25 15:17

10/ 1/ 08 2:48:14 PM

C:\ Documents and Settings\ tcleary\ My Documents\ EAST\ Workspaces\ 10689747.w sp